

Absorption in microwave scattering systems

U. Kuhl and H.-J. Stöckmann

Fachbereich Physik, Philipps-Universität Marburg, Renthof 5, D-35032 Marburg, Germany

M. Martínez-Mares

Departamento de Física, UAM-Iztapalapa, Av. San Rafael Atlixco 186, Col. Vicentina, 09340

México D. F., México

R.A. Méndez-Sánchez

Centro de Ciencias Físicas, Universidad Nacional Autónoma de México, A.P 48-3, 62210,

Cuernavaca, Mor., México

J. Main

Institut für Theoretische Physik und Synergetik, Universität Stuttgart, D-70550 Stuttgart, Germany

We investigate absorption and coupling in chaotic microwave cavities. First we quantify the presence of direct processes in the S -matrix of chaotic microwave cavities with absorption in the one-channel case. To this end the full distribution $P_S(S)$ of the S -matrix, i.e. $S = \sqrt{R}e^{i\theta}$, is studied in cavities with time-reversal symmetry for different antenna coupling strengths T_a and different wall absorption T_w . The experimental results are compared with random-matrix calculations and with numerical simulations based on the Heidelberg approach including absorption. The theoretical result is a generalization of the Poisson kernel. The experimental and the numerical distributions are in excellent agreement with random-matrix predictions for all cases [1, 2].

Further we investigate the poles of the systems. The poles are extracted from the spectra by means of the method of the harmonic inversion [3]. This method works also in the regime where the resonances are overlapping. The distribution of the width of the poles is investigated and compared with theoretical prediction from Ref. [4, 5].

References

- [1] U. Kuhl, M. Martínez-Mares, R.A. Méndez-Sánchez, and H.-J. Stöckmann. cond-mat/0407197.
- [2] R.A. Méndez-Sánchez, U. Kuhl, M. Barth C.H. Lewenkopf, and H.-J. Stöckmann. *Phys. Rev. Lett.* **91**, 174102 (2003).
- [3] J. Main, P.A. Dando, D Belkić, and H.S. Taylor. *J. Phys. A* **33**, 1247 (2000).
- [4] Y.V. Fyodorov and H.-J. Sommers. *J. Math. Phys.* **38**, 1918 (1997).
- [5] H.J. Sommers, Y.V. Fyodorov, and M. Titov. *J. Phys. A* **32**, L77 (1999).